

BLOCK BURNER SYSTEMS


DROP INTO ANY PAVER/BRICK SET




What's in a **BLOCK BURNER SYSTEM**?

The Block Burner Systems are all-in-one kits assembled either to install into a new Paver or SRW enclosure, or retrofit an existing set up. Each of Firegear's Block Burner Systems is comprised of 5 individual components - see below for a breakdown of what's included in each system.


ROUND EXAMPLE



SQUARE EXAMPLE



LINEAR EXAMPLE



1

Burner System


Our burner systems come in a variety of shapes, sizes, styles and ignition systems in order to fit your custom project or application.



ROUND
Flat > Pro or Stainless
IGNITION SYSTEM
TPSI or MT



SQUARE
Flat > Pro or Stainless
Drop-In > Stainless
IGNITION SYSTEM
TPSI or MT






LINEAR
Flat > Pro or Stainless
IGNITION SYSTEM
TPSI or MT

2

Flexframe

The Flexframe (multiple sizes) gives you the ability to fill the gap between the edge of the enclosure and the pan. Easy installation - easy maintenance.


ROUND / SQUARE / LINEAR APPLICATIONS



3

Control Panel

Provides an easy way to install key valves and other ignition system components inside of any existing landscape block enclosure for easy access.



4

Vent Kit

Our Vent Kits make ventilation easy by preventing cutting through landscaping block or awkwardly placing existing blocks in order to provide ventilation.



INCLUDES:
Vents (2x)
Lintels (2x)
Extension Plates (2x)
Hardware for 2 Vents

5

Lava Rock Media

All Block Burner Systems include the appropriate amount of Lava Rock to cover the burner. This creates an air-to-gas mixture for optimal flame size.



Each piece of lava rock is approx. 1" - 2" in diameter

Pro Series Block Burner Kits



One model number - each package provides the all-in-one solution for upgrading to a gas fire pit.
All Pro Series models are sold as Natural Gas or Liquid Propane from the factory.

**ALL-IN-ONE
SOLUTION**

Round > Flat > Pro Series > Block Burner Kits

Model	Ignition	Fits	Burner System	Flexframe	Control Panel	Vent Kit	Media	Gas Type
FPB-29DPS18TPSIN-PK	TPSI	29" to 33"	FPB-29DPSSF18TPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40	NG
FPB-29DPS18TPSIP-PK	TPSI	29" to 33"	FPB-29DPSSF18TPSI-P	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40	LP
FPB-26DPS18MTN-PK	MT	26" to 29"	FPB-26DPSSF18MT-N	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x3)	NG
FPB-29DPS18MTN-PK	MT	29" to 33"	FPB-29DPSSF18MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40	NG
FPB-29DPS18MTN-PK6	MT	29" to 33"	FPB-29DPSSF18MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-6	FG-LAVA-40	NG
FPB-39DPS32MTN-PK	MT	39" to 42"	FPB-39DPSSF32MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	NG
FPB-39DPS32MTN-PK6	MT	39" to 42"	FPB-39DPSSF32MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-6	FG-LAVA-40 + FG-LAVA-10	NG
FPB-26DPS18MTP-PK	MT	26" to 29"	FPB-26DPSSF18MT-P	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x3)	LP
FPB-29DPS18MTP-PK	MT	29" to 33"	FPB-29DPSSF18MT-P	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40	LP
FPB-29DPS18MTP-PK6	MT	29" to 33"	FPB-29DPSSF18MT-P	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-6	FG-LAVA-40	LP
FPB-39DPS32MTP-PK	MT	39" to 42"	FPB-39DPSSF32MT-P	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	LP
FPB-39DPS32MTP-PK6	MT	39" to 42"	FPB-39DPSSF32MT-P	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-6	FG-LAVA-40 + FG-LAVA-10	LP



Square > Flat > Pro Series > Block Burner Kits

Model	Ignition	Fits	Burner System	Flexframe	Control Panel	Vent Kit	Media	Gas Type
FPB-25SFPS18TPSIN-PK	TPSI	25" to 30"	FPB-25SFPSF18TPSI-N	FLEXFRAME-SS	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-10 (x3)	NG
FPB-25SFPS18TPSIP-PK	TPSI	25" to 30"	FPB-25SFPSF18TPSI-P	FLEXFRAME-SS	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-10 (x3)	LP
FPB-25SFPS18MTN-PK	MT	25" to 30"	FPB-25SFPSF18MT-N	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x3)	NG
FPB-25SFPS18MTP-PK	MT	25" to 30"	FPB-25SFPSF18MT-P	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x3)	LP



Square > Drop-In > Pro Series > Block Burner Kits

Model	Ignition	Fits	Burner System	Flexframe	Control Panel	Vent Kit	Media	Gas Type
FPB-20SPS14MTN-PK	MT	20" to 25"	FPB-20SPSBR14MT-N	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x2)	NG
FPB-20SPS14MTP-PK	MT	20" to 25"	FPB-20SPSBR14MT-P	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x2)	LP



Linear > Flat > Pro Series > Block Burner Kits

Model	Ignition	Fits	Burner System	Flexframe	Control Panel	Vent Kit	Media	Gas
LOF-3010PS246TPSIN-PK	TPSI	30" to 35" L, 10" to 15" W	LOF-3010PS246TPSI-N	FLEXFRAME-SS	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-10 (x3)	NG
LOF-3610PS306TPSIN-PK	TPSI	36" to 41" L, 10" to 15" W	LOF-3610PS306TPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40	NG
LOF-4810PS406TPSIN-PK	TPSI	48" to 53" L, 10" to 15" W	LOF-4810PS406TPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	NG
LOF-3010PS246TPSIP-PK	TPSI	30" to 35" L, 10" to 15" W	LOF-3010PS246TPSI-P	FLEXFRAME-SS	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-10 (x3)	LP
LOF-3610PS306TPSIP-PK	TPSI	36" to 41" L, 10" to 15" W	LOF-3610PS306TPSI-P	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40	LP
LOF-4810PS406TPSIP-PK	TPSI	48" to 53" L, 10" to 15" W	LOF-4810PS406TPSI-P	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	LP
LOF-3010PS246MTN-PK	MT	30" to 35" L, 10" to 15" W	LOF-3010PS246MT-N	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x3)	NG
LOF-3610PS306MTN-PK	MT	36" to 41" L, 10" to 15" W	LOF-3610PS306MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	LAVA-40	NG
LOF-4810PS406MTN-PK	MT	48" to 53" L, 10" to 15" W	LOF-4810PS406MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	NG
LOF-6010PS506MTN-PK	MT	60" to 65" L, 10" to 15" W	LOF-6010PS506MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10 (x2)	NG
LOF-3010PS246MTP-PK	MT	30" to 35" L, 10" to 15" W	LOF-3010PS246MT-P	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x3)	LP
LOF-3610PS306MTP-PK	MT	36" to 41" L, 10" to 15" W	LOF-3610PS306MT-P	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	LAVA-40	LP
LOF-4810PS406MTP-PK	MT	48" to 53" L, 10" to 15" W	LOF-4810PS406MT-P	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	LP
LOF-6010PS506MTP-PK	MT	60" to 65" L, 10" to 15" W	LOF-6010PS506MT-P	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10 (x2)	LP

Stainless Steel Block Burner Kits



One model number - each package provides the all-in-one solution for upgrading to a gas fire pit.
All Stainless Steel models are sold as Natural Gas from the factory. Liquid Propane Conversion Kits are Available.

**ALL-IN-ONE
SOLUTION**

Round > Flat > Stainless Steel > Block Burner Kits

Model	Ignition	Fits	Burner System	Flexframe	Control Panel	Vent Kit	Media	LP Conv. Kit
FPB-29D22TPSIN-PK	TPSI	29" to 32"	FPB-29DBS22TPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40	OAS-LPK31
FPB-34D31TPSIN-PK	TPSI	34" to 37"	FPB-34DBS31TPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	OAS-LPK26
FPB-39D31TPSIN-PK	TPSI	39" to 42"	FPB-39DBS31TPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	OAS-LPK26
FPB-26D22MTN-PK	MT	26" to 29"	FPB-26DBS22MT-N	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x3)	OAS-LPK31
FPB-29D22MTN-PK	MT	29" to 32"	FPB-29DBS22MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40	OAS-LPK31
FPB-34D31MTN-PK	MT	34" to 37"	FPB-34DBS31MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	OAS-LPK26
FPB-34D31MTN-PK2	MT	34" to 37"	FPB-34DBS31MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-6	FG-LAVA-40 + FG-LAVA-10	OAS-LPK26
FPB-39DBS36MTN-PK	MT	39" to 42"	FPB-39DBS36MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	OAS-LPK12
FPB-44DBS36MTN-PK	MT	44" to 47"	FPB-44DBS36MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10 (x2)	OAS-LPK12



Square > Flat > Stainless Steel > Block Burner Kits

Model	Ignition	Fits	Burner System	Flexframe	Control Panel	Vent Kit	Media	LP Conv. Kit
FPB-25SF22TPSIN-PK	TPSI	25" to 28"	FPB-25SFBS22TPSI-N	FLEXFRAME-SS	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-10 (x3)	OAS-LPK31
FPB-30SF22TPSIN-PK	TPSI	30" to 33"	FPB-30SFBS22TPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40	OAS-LPK31
FPB-34SF31TPSIN-PK	TPSI	34" to 37"	FPB-34SFBS31TPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	OAS-LPK26
FPB-25SF22MTN-PK	MT	25" to 28"	FPB-25SFBS22MT-N	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x3)	OAS-LPK31
FPB-30SF22MTN-PK	MT	30" to 33"	FPB-30SFBS22MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40	OAS-LPK31
FPB-34SF31MTN-PK	MT	34" to 37"	FPB-34SFBS31MT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	OAS-LPK26



Square > Drop-In > Stainless Steel > Block Burner Kits

Model	Ignition	Fits	Burner System	Flexframe	Control Panel	Vent Kit	Media	LP Conv. Kit
FPB-20SBS16MTN-PK	MT	20" to 23"	FPB-20SBSMT-N	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-10 (x2)	OAS-LPK41



Linear > Flat > Stainless Steel > Block Burner Kits

Model	Ignition	Fits	Burner System	Flexframe	Control Panel	Vent Kit	Media	LP Conv. Kit
LOF-3014FHTPSIN-PK	TPSI	30" to 34" L, 14" to 18" W	LOF-3014FHTPSI-N	FLEXFRAME-SS	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40	OAS-LPK35
LOF-3614FHTPSIN-PK	TPSI	36" to 40" L, 14" to 18" W	LOF-3614FHTPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	OAS-LPK31
LOF-4814FHTPSIN-PK	TPSI	48" to 52" L, 14" to 18" W	LOF-4814FHTPSI-N	FLEXFRAME-SS3	PAVER-CP-TPSI	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10 (x2)	OAS-LPK29
LOF-3014FHMTN-PK	MT	30" to 34" L, 14" to 18" W	LOF-3014FHMT-N	FLEXFRAME-SS	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40	OAS-LPK35
LOF-3614FHMTN-PK	MT	36" to 40" L, 14" to 18" W	LOF-3614FHMT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10	OAS-LPK31
LOF-4814FHMTN-PK	MT	48" to 52" L, 14" to 18" W	LOF-4814FHMT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10 (x2)	OAS-LPK29
LOF-6016FHMTN-PK	MT	60" to 64" L, 16" to 20" W	LOF-6016FHMT-N	FLEXFRAME-SS3	PAVER-CP-MT	PAVER-VENT-4	FG-LAVA-40 + FG-LAVA-10 (x3)	OAS-LPK26



Control Panels

COMPATIBLE WITH



House the components of your burner system seamlessly within your SRW/Paver blocks.

Components of burner system are not included in the Control Panel Enclosure - they are located in the burner system or SRW/Paver Kit you purchased.



PAVER-CP-AWS

For use when building fire pit enclosures with SRW block and a AWS burner system.

INCLUDES>

SRW bracket kit and extender
Lintel - 12" L x 3" W
Screws and fittings
Tapcon® concrete anchors



PAVER-CP-TPSI

For use when building fire pit enclosures with SRW block and a TPSI burner system.

INCLUDES>

SRW bracket kit and extender
Lintel - 12" L x 3" W
Screws and fittings
Tapcon® concrete anchors



PAVER-CP-MT-MSI

For use when building fire pit enclosures with SRW block and a MT burner system.

INCLUDES>

SRW bracket kit and extender
Lintel - 12" L x 3" W
Battery operated piezo igniter
Ignition Hood
Screws and fittings
Tapcon® concrete anchors



PAVER-CP-MT

For use when building fire pit enclosures with SRW block and a MT burner system.


INCLUDES>

SRW bracket kit and extender
Lintel - 12" L x 3" W
Screws and fittings
Tapcon® concrete anchors

Flexframe



Allows you the flexibility to fill the gap between the fire pit structure and the pan. You can easily remove the burner without disturbing the structure. Flexible and easy to adapt for round, square, and rectangular fire pits.



FLEXFRAME-PRO3

Pro Series - Wider Version of the FLEXFRAME. Designed for Larger Round, Square and Linear Burner Systems - Constructed of 16 Gauge #304 Stainless Steel

(3) 44" pieces per package



FLEXFRAME-SS3

Constructed of 16 Gauge #304 Stainless Steel. Engineered to protect against outdoor elements including salt water environments

(3) 44" pieces per package



FLEXFRAME-SS

Constructed of 16 Gauge #304 Stainless Steel. Engineered to protect against outdoor elements including salt water environments

(2) 44" pieces per package

Block Vent Kits

COMPATIBLE WITH



PAVER-VENT-4-LNTS

Stainless steel SRW vent kit with lintel. Each vent provides 18 square inches of ventilation.

INCLUDES>

Two (2) 3 5/8"H x 8"W vents with mounting plate, extension plate extends overall size up to 10"W

Two (2) Tapcon® concrete anchors and vent mounting hardware with spacers

Two (2) Lintels 12"L x 3"W (16 gauge galvanized steel)



PAVER-VENT-6-LNTS

Stainless steel SRW vent kit with lintel. Each vent provides 18 square inches of ventilation.

INCLUDES>

Two (2) 5 5/8"H x 8"W vents with mounting plate, extension plate extends overall size up to 10"W

Two (2) Tapcon® concrete anchors and vent mounting hardware with spacers

Two (2) Lintels 12"L x 3"W (16 gauge galvanized steel)

Spark Ignition



MSI-BSMTI

Manual spark ignition kit for FPB "MT" Match Throw Systems featuring the burning spur.

COMPATIBLE WITH



AWS IGNITION SYSTEM COMPONENTS

AWS Single Fire Feature Components



- Used for a single fire feature
- Can only be installed in fire features that are greater than 10 feet away from a pool or spa.
- All components can be housed underneath the burner.

Model	Description
FG-AWS30VDC-GOEK-N	Includes: 290K BTU Capacity 30VDC Valve System for Natural Gas, 30" Pilot Assembly, Heat Shield, Wire Leads, Hardware Bag, GOE-30VDC Power Supply, On/Off Weatherproof Rocker Switch and Stainless Steel Mounting Plate - 290K BTU NG (replaces part # FG-AWS30VDC-RCK)
FG-AWS30VDC-GOEK-P	Includes: 290K BTU Capacity 30VDC Valve System for Liquid Propane, 30" Pilot Assembly, Heat Shield, Wire Leads, Hardware Bag, GOE-30VDC Power Supply, On/Off Weatherproof Rocker Switch and Stainless Steel Mounting Plate - 290K BTU LP (replaces part # FG-AWS30VDC-RCK)
GOE-30VDC	30 Volt DC Power Supply for Single Fire Features - Non-Pool Certified

AWS Multiple Fire Feature Components



- One kit per fire feature. One power supply (sold separately) for every 4 fire features.
- Used when running 1 – 4 fire features. Also used when running a single or multiple fire features within 5 feet of a pool / spa.

Model	Description
FG-AWS30VDC-HC-K-N	NEW HIGHER BTU: 715K BTU Capacity 30VDC Valve System, High Capacity Natural Gas Valve System - 3/4 FIP Inlet, 3/4 FIP Outlet, 30" Pilot Assembly, Mounting Plate for High Capacity Key Valve (3/4" IPS straight Valve with Key) and On/Off Weatherproof Rocker Switch, Heat Shield, Mounting Hardware, Wire 10' AWS Power Wire to Valve, T300-9898-34 (5/8" OD, 1/2" ID Tranquiline Gas Flex Connector, 3/4" Stainless Steel Close Nipple, 5/8" Flare x 3/4" MIP Steel Adapter (Tapped 1/2 FIP), Power Supply and Orifice Not Included - 715K BTU NG
FG-AWS30VDC-HC-K-P	NEW HIGHER BTU: 715K BTU Capacity 30VDC Valve System, High Capacity Natural Gas Valve System - 3/4 FIP Inlet, 3/4 FIP Outlet, 30" Pilot Assembly, Mounting Plate for High Capacity Key Valve (3/4" IPS straight Valve with Key) and On/Off Weatherproof Rocker Switch, Heat Shield, Mounting Hardware, Wire 10' AWS Power Wire to Valve, T300-9898-34 (5/8" OD, 1/2" ID Tranquiline Gas Flex Connector, 3/4" Stainless Steel Close Nipple, 5/8" Flare x 3/4" MIP Steel Adapter (Tapped 1/2 FIP), Power Supply and Orifice Not Included - 715K BTU LP
FG-AWS30VDC-K-N	290K BTU Capacity 30VDC Valve System for Natural Gas - 1/2 FIP Inlet, 1/2 FIP Outlet, 30" Pilot Assembly, Mounting Plate for High Capacity Key Valve (3/4" IPS straight Valve with Key) and On/Off Weatherproof Rocker Switch, Heat Shield, Mounting Hardware, Wire 10' AWS Power Wire to Valve, T200-9898-46 (1/2" OD, 3/8" ID Tranquiline Gas Flex Connector, Stainless Steel Coupler, 1/2" Flare x 1/2" MIP Steel Adapter (Tapped 1/2 FIP), Power Supply and Orifice Not Included - 290K BTU NG
FG-AWS30VDC-K-P	290K BTU Capacity 30VDC Valve System for Liquid Propane - 1/2 FIP Inlet, 1/2 FIP Outlet, 30" Pilot Assembly, Mounting Plate for High Capacity Key Valve (3/4" IPS straight Valve with Key) and On/Off Weatherproof Rocker Switch, Heat Shield, Mounting Hardware, Wire 10' AWS Power Wire to Valve, T200-9898-46 (1/2" OD, 3/8" ID Tranquiline Gas Flex Connector, Stainless Steel Coupler, 1/2" Flare x 1/2" MIP Steel Adapter (Tapped 1/2 FIP), Power Supply and Orifice Not Included - 290K BTU LP
FG-AWS-PS-30V320	30VDC, 320W Power Supply - POOL CERTIFIED - built into NEMA Approved Enclosure - for use with single installation or up to four fire features, max distance run of 500' - Replaces FG-PS-30V320

AWS IGNITION Replacement Parts



POOL CERTIFIED

FG-AWS-PS-30V320

30VDC, 320W Power Supply



GOE-30VDC

30 VDC power supply for single fire feature



FG-PBA

FG-AWS pilot burner assembly (30" long) - For **NG**



FG-PBA-P

FG-AWS pilot burner assembly (30" long) - For **LP**



FG-TIMER-2HR

Two (2) hour mechanical timer.



FG-1420-AOD

1420-A (On/Off/Remote) with 110 Receiver.



FG-EMER-STOP

Electronic emergency stop for 120VAC or 30 VDC.



FG-FD2HW

120 min mechanical timer (no enclosure)



FG-ICB

AWS Ignition control box



FG-HEATSHIELD

AWS heat shield