


PRO SERIES BURNER SYSTEMS

PAN, PRO SERIES BURNER & IGNITION SYSTEM COMPONENTS



STYLE Square > Flat

MODEL FPB-46SFPSSF32MT-N

Round > Snowflake > Drop-In > AWS



Model	Pan Size	BTU
FPB-19RPSSF11AWS-N	19"	50,000
FPB-25RPSSF18AWS-N	25"	145,000
FPB-29RPSSF18AWS-N	29"	145,000
FPB-19RPSSF11AWS-P	19"	42,000
FPB-25RPSSF18AWS-P	25"	124,000
FPB-29RPSSF18AWS-P	29"	124,000

Round > Snowflake > Flat > AWS



Model	Pan Size	BTU
FPB-26DPSSF18AWS-N	26"	145,000
FPB-29DPSSF18AWS-N	29"	145,000
FPB-39DPSSF32AWS-N	39"	426,000
FPB-44DPSSF32AWS-N	44"	426,000
FPB-26DPSSF18AWS-P	26"	124,000
FPB-29DPSSF18AWS-P	29"	124,000

Round > Snowflake > Drop-In > TPSI



Model	Pan Size	BTU
FPB-19RPSSF11TPSI-N	19"	50,000
FPB-25RPSSF18TPSI-N	25"	145,000
FPB-29RPSSF18TPSI-N	29"	145,000
FPB-19RPSSF11TPSI-P	19"	42,000
FPB-25RPSSF18TPSI-P	25"	124,000
FPB-29RPSSF18TPSI-P	29"	124,000

Round > Snowflake > Flat > TPSI



Model	Pan Size	BTU
FPB-26DPSSF18TPSI-N	26"	145,000
FPB-29DPSSF18TPSI-N	29"	145,000
FPB-26DPSSF18TPSI-P	26"	124,000
FPB-29DPSSF18TPSI-P	29"	124,000

Round > Snowflake > Drop-In > MT



Model	Pan Size	BTU
FPB-19RPSSF11MT-N	19"	50,000
FPB-25RPSSF18MT-N	25"	145,000
FPB-29RPSSF18MT-N	29"	145,000
FPB-19RPSSF11MT-P	19"	42,000
FPB-25RPSSF18MT-P	25"	124,000
FPB-29RPSSF18MT-P	29"	124,000

Round > Snowflake > Flat > MT



Model	Pan Size	BTU
FPB-26DPSSF18MT-N	26"	145,000
FPB-29DPSSF18MT-N	29"	145,000
FPB-39DPSSF32MT-N	39"	426,000
FPB-44DPSSF32MT-N	44"	426,000
FPB-26DPSSF18MT-P	26"	124,000
FPB-29DPSSF18MT-P	29"	124,000

Square > Snowflake > Drop-In > AWS



Model	Pan Size	BTU
FPB-20SPSSF11AWS-N	20"	50,000
FPB-26SPSSF18AWS-N	26"	145,000
FPB-38SPSSF32AWS-N	38"	426,000
FPB-20SPSSF11AWS-P	20"	42,000
FPB-26SPSSF18AWS-P	26"	124,000

Square > Snowflake > Flat > AWS




Model	Pan Size	BTU
FPB-25SFSSF18AWS-N	25"	145,000
FPB-46SFSSF32AWS-N	46"	426,000
FPB-25SFSSF18AWS-P	25"	124,000

Square > Snowflake > Drop-In > TPSI



Model	Pan Size	BTU
FPB-20SPSSF11TPSI-N	20"	50,000
FPB-26SPSSF18TPSI-N	26"	145,000
FPB-20SPSSF11TPSI-P	20"	42,000
FPB-26SPSSF18TPSI-P	26"	124,000

Square > Snowflake > Flat > TPSI




Model	Pan Size	BTU
FPB-25SFSSF18TPSI-N	25"	145,000
FPB-25SFSSF18TPSI-P	25"	124,000

Square > Snowflake > Drop-In > MT



Model	Pan Size	BTU
FPB-20SPSSF11MT-N	20"	50,000
FPB-26SPSSF18MT-N	26"	145,000
FPB-38SPSSF32MT-N	38"	426,000
FPB-20SPSSF11MT-P	20"	42,000
FPB-26SPSSF18MT-P	26"	124,000

Square > Snowflake > Flat > MT



Model	Pan Size	BTU
FPB-25SFSSF18MT-N	25"	145,000
FPB-46SFSSF32MT-N	46"	426,000
FPB-25SFSSF18MT-P	25"	124,000

Pro Series Burner Systems are designed to be NG or LP from the Factory > Firegear does NOT offer Conversion Kits.

Round > Burning Spur > Drop-In > AWS



Model	Pan Size	BTU
FPB-19RPSBR14AWS-N	19"	125,000
FPB-25RPSBR21AWS-N	25"	175,000
FPB-29RPSBR21AWS-N	29"	175,000
FPB-33RPSBR21AWS-N	33"	175,000
FPB-19RPSBR14AWS-P	19"	125,000
FPB-25RPSBR21AWS-P	25"	160,000
FPB-29RPSBR21AWS-P	29"	160,000
FPB-33RPSBR21AWS-P	33"	160,000

Round > Burning Spur > Flat > AWS



Model	Pan Size	BTU
FPB-26DPSBR21AWS-N	26"	175,000
FPB-29DPSBR21AWS-N	29"	175,000
FPB-34DPSBR21AWS-N	34"	175,000
FPB-26DPSBR21AWS-P	29"	175,000
FPB-29DPSBR21AWS-P	39"	175,000
FPB-34DPSBR21AWS-P	44"	175,000

Round > Burning Spur > Drop-In > TPSI



Model	Pan Size	BTU
FPB-19RPSBR14TPSI-N	19"	125,000
FPB-25RPSBR21TPSI-N	25"	175,000
FPB-29RPSBR21TPSI-N	29"	175,000
FPB-33RPSBR21TPSI-N	33"	175,000
FPB-19RPSBR14TPSI-P	19"	125,000
FPB-25RPSBR21TPSI-P	25"	160,000
FPB-29RPSBR21TPSI-P	29"	160,000
FPB-33RPSBR21TPSI-P	33"	160,000

Round > Burning Spur > Flat > TPSI



Model	Pan Size	BTU
FPB-26DPSBR21TPSI-N	26"	175,000
FPB-29DPSBR21TPSI-N	29"	175,000
FPB-34DPSBR21TPSI-N	34"	175,000
FPB-26DPSBR21TPSI-P	29"	175,000
FPB-29DPSBR21TPSI-P	39"	175,000
FPB-34DPSBR21TPSI-P	44"	175,000

Round > Burning Spur > Drop-In > MT



Model	Pan Size	BTU
FPB-19RPSBR14MT-N	19"	125,000
FPB-25RPSBR21MT-N	25"	175,000
FPB-29RPSBR21MT-N	29"	175,000
FPB-33RPSBR21MT-N	33"	175,000
FPB-19RPSBR14MT-P	19"	125,000
FPB-25RPSBR21MT-P	25"	160,000
FPB-29RPSBR21MT-P	29"	160,000
FPB-33RPSBR21MT-P	33"	160,000

Round > Burning Spur > Flat > MT




Model	Pan Size	BTU
FPB-26DPSBR21MT-N	26"	175,000
FPB-29DPSBR21MT-N	29"	175,000
FPB-34DPSBR21MT-N	34"	175,000
FPB-26DPSBR21MT-P	29"	175,000
FPB-29DPSBR21MT-P	39"	175,000
FPB-34DPSBR21MT-P	44"	175,000




STYLE Square > Flat
MODEL FPB-46SFPSSF32MT-N

Square > Burning Spur > Drop-In > AWS



Model	Pan Size	BTU
FPB-20SPSBR14AWS-N	20"	125,000
FPB-26SPSBR21AWS-N	26"	175,000
FPB-32SPSBR21AWS-N	32"	175,000
FPB-20SPSBR14AWS-P	20"	160,000
FPB-26SPSBR21AWS-P	26"	175,000
FPB-32SPSBR21AWS-P	32"	175,000

Square > Burning Spur > Flat > AWS



Model	Pan Size	BTU
FPB-25SFPSBR21AWS-N	25"	175,000
FPB-30SFPSBR21AWS-N	30"	175,000
FPB-34SFPSBR21AWS-N	34"	175,000
FPB-25SFPSBR21AWS-P	25"	175,000
FPB-30SFPSBR21AWS-P	30"	175,000
FPB-34SFPSBR21AWS-P	34"	175,000

Square > Burning Spur > Drop-In > TPSI



Model	Pan Size	BTU
FPB-20SPSBR14TPSI-N	20"	125,000
FPB-26SPSBR21TPSI-N	26"	175,000
FPB-32SPSBR21TPSI-N	32"	175,000
FPB-20SPSBR14TPSI-P	20"	160,000
FPB-26SPSBR21TPSI-P	26"	175,000
FPB-32SPSBR21TPSI-P	32"	175,000

Square > Burning Spur > Flat > TPSI



Model	Pan Size	BTU
FPB-25SFPSBR21TPSI-N	25"	175,000
FPB-30SFPSBR21TPSI-N	30"	175,000
FPB-34SFPSBR21TPSI-N	34"	175,000
FPB-25SFPSBR21TPSI-P	25"	175,000
FPB-30SFPSBR21TPSI-P	30"	175,000
FPB-34SFPSBR21TPSI-P	34"	175,000

Square > Burning Spur > Drop-In > MT



Model	Pan Size	BTU
FPB-20SPSBR14MT-N	20"	125,000
FPB-26SPSBR21MT-N	26"	175,000
FPB-32SPSBR21MT-N	32"	175,000
FPB-20SPSBR14MT-P	20"	160,000
FPB-26SPSBR21MT-P	26"	175,000
FPB-32SPSBR21MT-P	32"	175,000

Square > Burning Spur > Flat > MT



Model	Pan Size	BTU
FPB-25SFPSBR21MT-N	25"	175,000
FPB-30SFPSBR21MT-N	30"	175,000
FPB-34SFPSBR21MT-N	34"	175,000
FPB-25SFPSBR21MT-P	25"	175,000
FPB-30SFPSBR21MT-P	30"	175,000
FPB-34SFPSBR21MT-P	34"	175,000



Linear > T Burner > Drop-In > AWS



Model	Pan Size	BTU
LOF-3006PS24TAWS-N	30" x 6"	50,000
LOF-4206PS38TAWS-N	42" x 6"	90,000
LOF-4806PS44TAWS-N	48" x 6"	100,000
LOF-6006PS56TAWS-N	60" x 6"	135,000
LOF-7206PS68TAWS-N	72" x 6"	140,000
LOF-3006PS24TAWS-P	30" x 6"	60,000
LOF-4206PS38TAWS-P	42" x 6"	95,000
LOF-4806PS44TAWS-P	48" x 6"	110,000

Linear > T Burner > Flat > AWS



Model	Pan Size	BTU
LOF-3008FPS24TAWS-N	30" x 8"	50,000
LOF-4208FPS38TAWS-N	42" x 8"	90,000
LOF-4808FPS44TAWS-N	48" x 8"	100,000
LOF-6008FPS56TAWS-N	60" x 8"	135,000
LOF-7208FPS68TAWS-N	72" x 8"	140,000
LOF-3008FPS24TAWS-P	30" x 8"	60,000
LOF-4208FPS38TAWS-P	42" x 8"	95,000
LOF-4808FPS44TAWS-P	48" x 8"	110,000

Linear > T Burner > Drop-In > TPSI



Model	Pan Size	BTU
LOF-3006PS24TTPSI-N	30" x 6"	50,000
LOF-4206PS38TTPSI-N	42" x 6"	90,000
LOF-4806PS44TTPSI-N	48" x 6"	100,000
LOF-6006PS56TTPSI-N	60" x 6"	135,000
LOF-7206PS68TTPSI-N	72" x 6"	140,000
LOF-3006PS24TTPSI-P	30" x 6"	60,000
LOF-4206PS38TTPSI-P	42" x 6"	95,000
LOF-4806PS44TTPSI-P	48" x 6"	110,000

Linear > T Burner > Flat > TPSI



Model	Pan Size	BTU
LOF-3008FPS24TTPSI-N	30" x 8"	50,000
LOF-4208FPS38TTPSI-N	42" x 8"	90,000
LOF-4808FPS44TTPSI-N	48" x 8"	100,000
LOF-6008FPS56TTPSI-N	60" x 8"	135,000
LOF-7208FPS68TTPSI-N	72" x 8"	140,000
LOF-3008FPS24TTPSI-P	30" x 8"	60,000
LOF-4208FPS38TTPSI-P	42" x 8"	95,000
LOF-4808FPS44TTPSI-P	48" x 8"	110,000

Linear > T Burner > Drop-In > MT



Model	Pan Size	BTU
LOF-3006PS24TMT-N	30" x 6"	50,000
LOF-4206PS38TMT-N	42" x 6"	90,000
LOF-4806PS44TMT-N	48" x 6"	100,000
LOF-6006PS56TMT-N	60" x 6"	135,000
LOF-7206PS68TMT-N	72" x 6"	140,000
LOF-3006PS24TMT-P	30" x 6"	60,000
LOF-4206PS38TMT-P	42" x 6"	95,000
LOF-4806PS44TMT-P	48" x 6"	110,000

Linear > T Burner > Flat > MT



Model	Pan Size	BTU
LOF-3008FPS24TMT-N	30" x 8"	50,000
LOF-4208FPS38TMT-N	42" x 8"	90,000
LOF-4808FPS44TMT-N	48" x 8"	100,000
LOF-6008FPS56TMT-N	60" x 8"	135,000
LOF-7208FPS68TMT-N	72" x 8"	140,000
LOF-3008FPS24TMT-P	30" x 8"	60,000
LOF-4208FPS38TMT-P	42" x 8"	95,000
LOF-4808FPS44TMT-P	48" x 8"	110,000

NG > LP Conversion Kits

MT Conversion Kits

Model	Ignition	BTU
OAS-LPK47	MT	50,000
OAS-LPK41	MT	75,000
OAS-LPK35	MT	100,000
OAS-LPK31	MT	125,000
OAS-LPK29	MT	150,000
OAS-LPK26	MT	175,000
OAS-LPK22	MT	200,000
OAS-LPK19	MT	225,000
OAS-LPK12	MT	250,000

AWS Conversion Kits

Used in addition to a **MT Conversion Kit** (listed left).

Model	Description
FG-AWS-PBO-P	Pilot Burner Orifice for FG-AWS30VDC-GOEK and FG-AWS30VDC-K (AWS Standard Capacity 30VDC Valve) Conversion from NG to LP

TPSI Conversion Kits

Model	Ignition	BTU
TPSI-LPK47	TPSI	50,000
TPSI-LPK41	TPSI	75,000
TPSI-LPK35	TPSI	100,000
TPSI-LPK31	TPSI	125,000
TPSI-LPK29	TPSI	150,000

Kalea Bay Conversion Kits

Model	Used With
OFP-36LECO-LPK	OFP-36LECO-NLED
OFP-48LECO-LPK	OFP-36LECO-N / NLED
OFP-60LECO-LPK	OFP-36LECO-N / NLED
OFP-72LECO-LPK	OFP-72LECO-NLED

Pro Series Burner Systems are designed to be NG or LP from the Factory
 > Firegear does NOT offer Conversion Kits.

Linear > H Burner > Flat > AWS



Model	Pan Size	BTU
LOF-3010PS246AWS-N	30" x 10"	80,000
LOF-3610PS306AWS-N	36" x 10"	95,000
LOF-4810PS406AWS-N	48" x 10"	120,000
LOF-6010PS506AWS-N	60" x 10"	160,000
LOF-7210PS606AWS-N	72" x 10"	180,000
LOF-9610PS806AWS-N	96" x 10"	250,000
LOF-3010PS246AWS-P	30" x 10"	100,000
LOF-3610PS306AWS-P	36" x 10"	115,000
LOF-4810PS406AWS-P	48" x 10"	150,000
LOF-6010PS506AWS-P	60" x 10"	175,000
LOF-7210PS606AWS-P	72" x 10"	200,000
LOF-9610PS806AWS-P	96" x 10"	240,000

Linear > H Burner > Flat > TPSI



Model	Pan Size	BTU
LOF-3010PS246TPSI-N	30" x 10"	80,000
LOF-3610PS306TPSI-N	36" x 10"	95,000
LOF-4810PS406TPSI-N	48" x 10"	120,000
LOF-6010PS506TPSI-N	60" x 10"	160,000
LOF-3010PS246TPSI-P	30" x 10"	110,000
LOF-3610PS306TPSI-P	36" x 10"	115,000
LOF-4810PS406TPSI-P	48" x 10"	150,000
LOF-6010PS506TPSI-P	60" x 10"	175,000

Linear > H Burner > Flat > MT



Model	Pan Size	BTU
LOF-3010PS246MT-N	30" x 10"	80,000
LOF-3610PS306MT-N	36" x 10"	95,000
LOF-4810PS406MT-N	48" x 10"	120,000
LOF-6010PS506MT-N	60" x 10"	160,000
LOF-7210PS606MT-N	72" x 10"	180,000
LOF-9610PS806MT-N	96" x 10"	250,000
LOF-3010PS246MT-P	30" x 10"	110,000
LOF-3610PS306MT-P	36" x 10"	115,000
LOF-4810PS406MT-P	48" x 10"	150,000
LOF-6010PS506MT-P	60" x 10"	175,000
LOF-7210PS606MT-P	72" x 10"	200,000
LOF-9610PS806MT-P	96" x 10"	240,000



STYLE Square > Flat
 MODEL FPB-46SFPSSF32MT-N